

TECHNICAL SHEET

1501-23 LARGE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Cemento - Vetro / Concrete - Glass

Voltage: 230V 50/60Hz

Source: 20W LED integrated - 3000K - CRI=90

Lumen: 780 lm

Dimming: Dimmerabile taglio di fase / Dimmable phase cut



1501-22 MEDIUM

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Cemento - Vetro / Concrete - Glass

Voltage: 230V 50/60Hz

Source: 15W LED integrated - 3000K - CRI=90

Lumen: 570 lm

Dimming: Dimmerabile taglio di fase / Dimmable phase cut



1501-21 SMALL

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Cemento - Vetro / Concrete - Glass

Voltage: 230V 50/60Hz

Source: 8W LED integrated - 3000K - CRI=90

Lumen: 350 lm

Dimming: Dimmerabile taglio di fase / Dimmable phase cut



Rosoni / Canopies

0811-92 CANOPY TYPE A

Mounting: A soffitto / Ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Dimming: on-off / dimmable DALI




0811-93 CANOPY TYPE A RECESSED

Mounting: Incasso / Recessed

Environment: Indoor - IP20

Materials: Metallo / Metal



Finiture / Finishes

Struttura / Structure



Grigio cemento
Grey concrete

Vetro / Glass



Vetro trasparente
Transparent glass

Rosoni / Canopies



Metallo verniciato opaco bianco
Matt white varnished metal




Metallo verniciato opaco titanio
Matt titanium varnished metal




Metallo verniciato opaco nero
Matt black varnished metal

Fotometrie / Photometric Data



Large



Medium

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosioni singoli o con le piastre multiple.
Vale altresì il viceversa: rosioni e piastre multiple non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone oppure pendente/i + piastra multipla.
Qualsiasi installazione non autorizzata non viene giudicata conforme.

All luminaires can only be sold with the single rosettes or with the multiple plates.
The reverse is also true: rosettes and multiple plates cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette or pendant(s) + multiplate.
Any unauthorized installation will not be deemed compliant.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1501-23-C601-D4NE	large suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 4
1501-23-C601-D2NE	large suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 2
1501-22-C601-D4NE	medium suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 4
1501-22-C601-D2NE	medium suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 2
1501-20-C601-D4NE	mini suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 4
1501-20-C601-D2NE	mini suspension	grigio cemento / grey concrete	vetro trasparente / transparent glass	cavo / wire mt 2
0811-92-1800-NXBE	canopy type A	titanio opaco / matt titanium		on-off
0811-92-0100-NXBE	canopy type A	bianco opaco / matt white		on-off
0811-92-1100-NXBE	canopy type A	nero opaco / matt black		on-off
0811-92-1800-PXBE	canopy type A	titanio opaco / matt titanium		dimmbale DALI
0811-92-0100-PXBE	canopy type A	bianco opaco / matt white		dimmbale DALI
0811-92-1100-PXBE	canopy type A	nero opaco / matt black		dimmbale DALI
0811-93-0100-NXBE	canopy type A recessed	bianco opaco / matt white		