



WEVER & DUCRÉ
LIGHTING

CENO SURFACE 1.0

176664W5

Project
Type
Notes
Quantity
Date

GENERAL

Ceiling
Surface
Tilt max 90°
Rotation 350°
White Matt
Below IP20
Interior
500 lm

LED

3000 K
2-step binning

OPTICAL


Beam angle 35°

ELECTRICAL


phase-cut dim
220 - 240 V
Total connected power 9 W
Class 1
Safety distance 0.3 m

PHYSICAL

Length 135 mm
Width 34 mm
Height 55 mm
0.2 kg



Ceiling surface spotlight made from die-cast aluminium; with rectangular base; inner ring black; with COB (Chip on Board) technology for maximum efficiency; phase-cut dim; light colour 3000 K; binning initial MacAdam 2 SDCM; beam angle 35°; 220 - 240 V; 350° rotatable and 90° tiltable; degree of protection IP20; PC1; driver included; optional honeycomb louver available, to reduce glare; light source replaceable by an authorized professional;





WEVER & DUCRÉ
LIGHTING

CENO SURFACE 1.0

176664W5

OPTICAL

Honeycomb

TYPE	COLOUR	(MM)	ORDERCODE
CENO PIRRO BLIEK ROUND PETIT	White	29	9 0 0 5 1 1 3 0
CENO PIRRO BLIEK ROUND PETIT	Black	29	9 0 0 5 1 1 3 1

